

The professional enterprise which is world-wide gives a happiness to the customer



















# **KEST DIATOOLS Co., Ltd.**

The professional enterprise which is world-wide gives a happiness to the customer



### About us

Willy Min represents Kest Diatools, Co., Ltd. We are leaders in the manufacture of diamond tools and, since our establishment in 1988, the first company to make diamond tools in South Korea.

Originally established as Dongsin Abrasive, we rebranded in 2009 as Kest Diatools in order to better share our products with the global market. We have expanded our customers in U.S.A, Europe, and Southeast Asia.

Our Customers feel that our products offer tremendous value due to our high manufacturing standards. Kest specialty is the manufacture

diamond tools of the highest quality using the best available technology for 30 years.

Now, Kest united with all our personnel and we will exert our best effort to achieve "Win-Win" breathing together with our worldwide customers for 24 hours a day.

Please Knock on KEST!!!









# The hystorical change of **KEST DIATOOLS**

We, at KEST DIATOOLS, promise that we will strive to become a world leader in the motor and power tool industries. We will continue to focus on customer satisfaction and product quality as our main priorities.

# **History**

# Challenge based on technology

1988 Established DongSin Abrasive Co., in Yongin City

1990 Developed Diaflexible Pad at first in Korea

1994 Experted Diaflexible Pad to the America & Europe

1996 Changed Company Name Dongsin Co in Bundang Techno Park

1997 Developed Diaflexible Belt, Convex Resin

1998 Developed JOA Polisher

1999 Certified Patent for Abrasive No. 0168083

# Expansion of business area

2000 Certified Patent for Abrasive Tools No. 0195278

2001 Constructed New Factory of Dongsin in Yongin City

2002 Achived Certificate of Registration ISO 9001

2004 Established Dongsin Technical Research Center

2005 Certified Patent for Equipment of Abraxive No. 0467441

2005 Certified Patent for Marking System of Flexible Pad No. 0482771

2005 Developed Dry Pad

# Leap forward

2006 Acomplished National Tech-Project of Industrial Tools

2007 Achived Certificate of Registration INNO-BIZ

2008 Acomplished National Tech-Project of Manufature Equipment

2009 Changed Company Name KEST DIATOOLS Co., Ltd.

2010 Developed 3 Step Pad & Engineered stone Pad

2011 Developed Hybrid(DRY & WET) Pad & Galaxy Hybrid Edge Disc



### Create

Create new technnology, product and Commerce



Enterprise that devotes to society



Global

World-class products, Global enterprise



Creating customer values



# kest's motto

Company is for employees... Employees are for company..


# kest's management ideology


To create functions through new technology, new concept, and to be satisfied with customers by excellent quality

# **KEST DIATOOLS Co., Ltd.**

71. POLISHING PADS	0
02. AUTOMATIC EDGE POLISHING TOOLS	1
03. FLOOR POLISHING TOOLS	2
04. SINK TOOLS	2
05. SLAB POLISHINGTOOLS	4
06. CUTTINGTOOLS	4
07. GRINDING & DRILLING TOOLS	5
08. ACCESSORIES	5







# 01. POLISHING PADS

### 3-STEP HYBRID POLISHING PAD

4" SUPER ROUND WHITE 4" KEST PRO-WHITE

# 3-STEP WET POLISHING PAD

4" GALAXY

# 3-STEP WET ENGINEERED POLISHING PAD

4" GALAXY-ES

# 7-STEP WET POLISHING PAD

4" REVOLUTION 4" SUPERIOR

4" SADA

# 7-STEP WET ENGINEERED POLISHING PAD

4" PREMIUM SUNFLOWER 4" EXCELLENT

# FINAL BUFF POLISHING PAD

4" PREMIUM DOLPHIN

4" TETRAGON

# **COPPER POLISHING PAD**

4" EXCELLENT

# **ELECTRONIC PLATE POLISHING PAD**

4" EP DRAGON

# 3-STEP DRY POLISHING PAD

4"TRIANGLE


# 5-STEP DRY POLISHING PAD

4" VICTORY

# 7-STEP DRY POLISHING PAD

4" HONEY-COMB 4" BRICKS

4" SPIRAL





# **♦ 3-STEP HYBRID PAD**

- · The Hybrid technology of kest is the best in the world.
- · 3-step guarantee incredibly quick process.
- · Superior gloss on not only light stones but also dark stones.
- · It provides outstanding results completely in both wet & dry conditions.
- · Only one pad is needed for all kinds of stones such as granite, marble, engineered stone(wet).



# SUPER ROUND WHITE

for Granite, Marble & Engineered Stone

DRY	WET

Part No	DESCRIPTION	DIAMETER
FRHG4SRWH1	3-Step Hybrid Polishing Pad	4"
FRHG4SRWH2	3-Step Hybrid Polishing Pad	4"
FRHG4SRWH3	3-Step Hybrid Polishing Pad	4"

# Great performance in Granite, Marble, ES

H0	Only need for hard stone	
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	3.0mm	



for Granite, Marble & Engineered Stone



Part No	DESCRIPTION	DIAMETER
RHG4KPWH1	3-Step Hybrid Polishing Pad	4"
RHG4KPWH2	3-StepHybrid Polishing Pad	4"
RHG4KPWH3	3-Step Hybrid Polishing Pad	4"

# Great performance in Granite, Marble, ES

H0	Only need for hard stone	
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	2.4mm	



# → 3-STEP WET PAD

- · The tradition of 3-step has begun from Galaxy wet pads.
- · 3-Step guarantees deep depth of gloss and polish as much as 7-Step in wet condition.

### **GALAXY** for Granite & Marble



Part No	DESCRIPTION	DIAMETER
FRWG4G1	3-Step Wet Polishing Pad	4"
FRWG4G2	3-Step Wet Polishing Pad	4"
FRWG4G3	3-Step Wet Polishing Pad	4"

# Fast grinding, Deep shinning! Long lasting.

H0	Only need for hard stone	
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	3.0mm	





# 3-STEP ENGINEERED WET PAD

- · Kest ES 3-step helps to prove natural gloss of Engineered stones.
- · It works brilliantly on all quartzite stones such as Cambria, Sile stone and Kan stone.


# **GALAXY-ES** for Engineered Stone



Part No	DESCRIPTION	DIAMETER
FRWE4GE1	3-Step Engineered Wet Pad	4"
FRWE4GE2	3-Step Engineered Wet Pad	4"
FRWE4GE3	3-Step Engineered Wet Pad	4"


### Fast grinding with special bond

This is for artificial stones		
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	3.0mm	




# **♦ 7-STEP WET PAD**

- · Kest Premium pads are formulated for better polishing performance.
- · Remarkable flexibility and long life span.
- · High concentration of diamond and kest's specail resin bond in these pads provide excellent results in all nautral stones.



# **REVOLUTION** for Granite

Part No	DESCRIPTION	DIAMETER
FRWG4R50	7-Step Wet Polishing Pad	4"
FRWG4R100	7-Step Wet Polishing Pad	4"
FRWG4R200	7-Step Wet Polishing Pad	4"
FRWG4R400	7-Step Wet Polishing Pad	4"
FRWG4R800	7-Step Wet Polishing Pad	4"
FRWG4R1500	7-Step Wet Polishing Pad	4"
FRWG4R3000	7-Step Wet Polishing Pad	4"
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	3.0mm	



# **SUPERIOR** for Granite

W		
V		-WW

Part No	DESCRIPTION	DIAMETER
FRWG4S50	7-Step Wet Polishing Pad	4"
FRWG4S100	7-Step Wet Polishing Pad	4*
FRWG4S200	7-Step Wet Polishing Pad	4"
FRWG4S400	7-Step Wet Polishing Pad	4"
FRWG4S800	7-Step Wet Polishing Pad	4"
FRWG4S1500	7-Step Wet Polishing Pad	4"
FRWG4S3000	7-Step Wet Polishing Pad	4"

Available	4"	
Max RPM	5,000	_
Thiskness	0.4	



Part No	DESCRIPTION	DIAMETER
FRWG4SD50	7-Step Wet Polishing Pad	4"
FRWG4SD100	7-Step Wet Polishing Pad	4"
FRWG4SD200	7-Step Wet Polishing Pad	4"
FRWG4SD400	7-Step Wet Polishing Pad	4"
FRWG4SD800	7-Step Wet Polishing Pad	4"
FRWG4SD1500	7-Step Wet Polishing Pad	4"
FRWG4SD3000	7-Step Wet Polishing Pad	4"
	300	

Available	4"	
Max RPM	5,000	
Thickness	2.4mm	



# **♦ 7-STEP ENGINEERED WET PAD**

- · These pads are designed for polishing of artificial stones such as Sile stone, Caesar stone, Jodia TM, Cambria and any kind of engineered stone.
- · These pads provide excellent gloss on the surfaces of artificial stones.


# PREMIUM SUNFLOWER for Engineered Stone WET



Part No	DESCRIPTION	DIAMETER
FRWE4F50	7-Step Engineered Wet Pad	4"
FRWE4F100	7-Step Engineered Wet Pad	4"
FRWE4F200	7-Step Engineered Wet Pad	4"
FRWE4F400	7-Step Engineered Wet Pad	4"
FRWE4F800	7-Step Engineered Wet Pad	4"
FRWE4F1500	7-Step Engineered Wet Pad	4"
FRWE4F3000	7-Step Engineered Wet Pad	4"

Available	4"	
Max RPM	5,000	
Thickness	3mm	






# **EXCELLENT** for Engineered Stone

WET

Part No	DESCRIPTION	DIAMETER
FRWE4E50	7-Step Engineered Wet Pad	4"
FRWE4E100	7-Step Engineered Wet Pad	4"
FRWE4E200	7-Step Engineered Wet Pad	4"
FRWE4E400	7-Step Engineered Wet Pad	4"
FRWE4E800	7-Step Engineered Wet Pad	4"
FRWE4E1500	7-Step Engineered Wet Pad	4"
FRWE4E3000	7-Step Engineered Wet Pad	4"
Available	3", 4", 5"	
Max RPM	5,000	
Thickness	2.6mm	

# FINAL BUFF POLISHING PAD

- · High diamond concentration and technical harmonized bond offer a superior shining and speedy working hour.
- · Using less water gives a high gloss on the surface of stones.



# **TETRAGON** for Granite

WET

Part No	DESCRIPTION	DIAMETER
FBWG4DB	Buff Polishing Pad	4"
FBWG4DW	Buff Polishing Pad	4"

### Fast griniding with special bond

3", 4", 5"	
5,000	
2.4mm	
	2.4mm



TETRAGON



# **COPPER POLISHING PAD**

- · Copper Polishing Pad is excellent for material removing.
- · It has a long-lasting.

# **EXCELLENT** for Granite

			-
•	M		
	•	_	

Part No	DESCRIPTION	DIAMETER
FXWG4E30	Copper Polishing Pad	4"
FXWG4E50	Copper Polishing Pad	4"
FXWG4E100	Copper Polishing Pad	4"
FXWG4E200	Copper Polishing Pad	4"

# High performance & long life time Fast working time

Available	3", 4", 5"	
Max RPM	5,000	
Thickness	2.6mm	



# **ELECTRONIC PLATE POLISHING PAD**

- · Electro Plated Pad allows fast and smooth grinding.
- · Getting great performance.



# FP DRAGON for Granit & Marble

EF DRAGO	V 101 Glant & Maible	DRY WET
Part No	DESCRIPTION	DIAMETER
FEHA4D50	EP Polishing Pad	4"
FEHA4D100	EP Polishing Pad	4"
FEHA4D200	EP Polishing Pad	4"
Available	3", 4", 5"	
Max RPM	5,000	



# **DRY POLISHING PAD**

- · The fruit of the abundant experience in this field!
- · Getting great gloss on the special stones like Galaxy Black and Absolute Black stone.
- · No bleeding on the bright colored stones!



# **3-STEP TRIANGLE** for Granite

Part No	DESCRIPTION	DIAMETER
FRDG4TT1	3-Step Dry Polishing Pad	4"
FRDG4TT2	3-Step Dry Polishing Pad	4"
FRDG4TT3	3-Step Dry Polishing Pad	4"

# Incredibly quick process!

Available	4"	
Max RPM	2,500	
Thickness	1.8mm	



Part No	DESCRIPTION	DIAMETER	
FRDG4VT1	5-Step Dry Polishing Pad	4"	
FRDG4VT2	5-Step Dry Polishing Pad	4"	
FRDG4VT3	5-Step Dry Polishing Pad	4"	
FRDG4VT4	5-Step Dry Polishing Pad	4"	
FRDG4VT5	5-Step Dry Polishing Pad	4"	

# Incredibly quick process!


Available	4"	
Max RPM	2,500	
Thickness	1.8mm	



Part No	DESCRIPTION	DIAMETER	
FRDG4H50	7-Step Dry Polishing Pad	4"	
FRDG4H100	7-Step Dry Polishing Pad	4"	
FRDG4H200	7-Step Dry Polishing Pad	4"	
FRDG4H400	7-Step Dry Polishing Pad	4"	
FRDG4H800	7-Step Dry Polishing Pad	4"	
FRDG4H1500	7-Step Dry Polishing Pad	4"	
FRDG4H3000	7-Step Dry Polishing Pad	4"	
FRDG4Hshiner	7-Step Dry Polishing Pad	4"	

Available	3", 4", 5"	
Max RPM	2,500	
Thickness	1.8mm	






# 7-STEP BRICKS for Granite

Part No	DESCRIPTION	DIAMETER	
FRDG4B50	7-Step Dry Polishing Pad	4"	
FRDG4B100	7-Step Dry Polishing Pad	4"	
FRDG4B200	7-Step Dry Polishing Pad	4"	
FRDG4B400	7-Step Dry Polishing Pad	4"	
FRDG4B800	7-Step Dry Polishing Pad	4"	
FRDG4B1500	7-Step Dry Polishing Pad	4"	
FRDG4B3000	7-Step Dry Polishing Pad	4"	
FRDG4Bshiner	7-Step Dry Polishing Pad	4"	

Available	4"	
Max RPM	2,500	
Thickness	1.6mm	



# 7-STEP SPIRAL for Granite

Part No	DESCRIPTION	DIAMETER	
FRDG4S50	7-Step Dry Polishing Pad	4"	
FRDG4S100	7-Step Dry Polishing Pad	4"	
FRDG4S200	7-Step Dry Polishing Pad	4"	
FRDG4S400	7-Step Dry Polishing Pad	4"	
FRDG4S800	7-Step Dry Polishing Pad	4"	
FRDG4S1500	7-Step Dry Polishing Pad	4"	
FRDG4S3000	7-Step Dry Polishing Pad	4*	
FRDG4Sshiner	7-Step Dry Polishing Pad	4"	

Available	3", 4", 5"	
Max RPM	2,500	
Thickness	1.6mm	

# **02. AUTOMATIC** EDGE POLISHINGTOOLS

# C-FRAME MACHINETOOLS

- 4" HONEY-COMB WHITE 5-STEP PRO EDGE DISC 4" TETRAGON 5-STEP PRO EDGE DISC

# HORIZENTAL & VERTICAL MACHINE TOOLS


KEST EDGE DISC (STRIGHT & BULLNOSE) BLASTER-R EDGE DISC (BULLNOSE) BLASTER-S EDGE DISC (STRIGHT) RING EDGE DISC FOR CHAMFERING





# 5-STEP PROEDGE DISC for C-Frame Machine

- · Perfect combination of the sequence of Metal-Copper-Resin.
- · Great grinding ability and long lasting with copper bond system.
- · Excellent performance on all kinds of stones like Granite, marble and Engineered stone.



# HONEY-COMB WHITE

for Engineered Stone & Granite & Marble

Part No	DESCRIPTION	THICKNESS	DIAMETER
EMWE4GT1	Metal Snail Coarse	7.0	4*
EMWE4GT2	Metal Snail Medium	7.0	4*
ERWE4HT3	Resin Polishing Disc	3.0	4*
ERWE4HT4	Resin Polishing Disc	3.0	4"
ERWE4HT5	Resin Polishing Disc	3.0	4*

Optional Buff	
4"	
14,000	
5,000	
	4" 14,000



# **TETRAGON** for Granite

Part No	DESCRIPTION	THICKNESS	DIAMETER
EMWG4DT1	Metal Snail Coarse	7.0	4"
EMWG4GT2	Metal Snail Medium	7.0	4"
ERWG4DT3	Resin Polishing Disc	3.0	4"
ERWG4DT4	Resin Polishing Disc	3.0	4"
ERWG4DT5	Resin Polishing Disc	3.0	4*

T6	Optional Buff	
Available	4"	
Max RPM of Metal	14,000	
Max RPM of Resin	5,000	

Part No	DESCRIPTION	THICKNESS	DIAMETER
EXWG4HT3	Copper Polishing Disc	3.0	4*



# **HORIZENTAL & VERTICAL MACHINE TOOLS**

- · Can use for both flat and round grinding.
- · Available for all kinds of stones like Granite, marble and Engineered stone.
- · It provides optimal package to get a great result depending on head quantities like 5-head, 6-head or 7-head.
- · These tools are designed for Park Industry, Comandulli, Marmomeccanica, Sasso Machinery.

# **KEST EDGE DISC (Straight & Bullnose)**

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	THICKNESS	REMARK
EXHA5GGSR50	5" Kest Edge Disc	7.0	Copper
EXHA5GGSR100	5" Kest Edge Disc	7.0	Copper
EXHA5GGSR200	5" Kest Edge Disc	7.0	Copper
ERHA5GGSR400	5" Kest Edge Disc	7.0	Resin
ERHA5GGSR800	5" Kest Edge Disc	7.0	Resin
ERHA5GGSR1500	5" Kest Edge Disc	7.0	Resin
ERHA5GGSR3000	5" Kest Edge Disc	7.0	Resin
ERHA5GGSRDF	5" Kest Edge Disc	7.0	Resin

### Can be used in both wet & dry conditions

Available	5", 6"	
Max Pressure	4 bars	
Max Feeding Speed	70 cm/min	
Snail Lock Backed.		



# **BLASTER-R EDGE DISC (Bullnose)**

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	THICKNESS	REMARK
EXWA5BR50	5" Blaste-R Edge Disc	7.0	Copper
EXWA5BR100	5' Blaster-R Edge Disc	7.0	Copper
EXWA5BR200	5" Blaste-R Edge Disc	7.0	Copper
ERWA5BR400	5' Blaster-R Edge Disc	7.0	Resin
ERWA5BR800	5" Blaste-R Edge Disc	7.0	Resin
ERWA5BR1500	5' Blaster-R Edge Disc	7.0	Resin
ERWA5BR3000	5" Blaste-R Edge Disc	7.0	Resin
ERWA5BRDF	5' Blaster-R Edge Disc	7.0	Resin

Available	5", 6"	
Max Pressure	4 bars	
Max Feeding Speed	70 cm/min	





# **BLASTER-S EDGE DISC (Straight)**

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	THICKNESS	REMARK
EXWA5BS50	5" Blaster-S Edge Disc	7.0	Copper
EXWA5BS100	5" Blaster-S Edge Disc	7.0	Copper
EXWA5BS200	5" Blaster-S Edge Disc	7.0	Copper
ERWA5BS400	5" Blaster-S Edge Disc	7.0	Resin
ERWA5BS800	5" Blaster-S Edge Disc	7.0	Resin
ERWA5BS1500	5" Blaster-S Edge Disc	7.0	Resin
ERWA5BS3000	5" Blaster-S Edge Disc	7.0	Resin
ERWA5BSDF	5" Blaster-S Edge Disc	7.0	Resin

Available	5", 6"	
Max Pressure	4 bars	
Max Feeding Speed	70 cm/min	
Velcro or Snail Lock Backe	d.	

# RING EDGE DISC (Chamfering)

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	THICKNESS	DIAMETER
ERWG5R400	Chamfering Resin Disc	7.0	5"
ERWG5R600	Chamfering Resin Disc	7.0	5"

This is for champering in-iline automatic machines.

Available	4", 5", 6"
Available in, P	ark Industry, Comandulli, Marmomeccanica, Sasso Machinery.
Velcro Backed	or Snail Lock.




# 03. FLOOR POLISHING TOOLS\*

# **RESTORATION POLISHING DISC**

3.5" REPOLISHING DISC 4" REPOLISHING DISC FAN METAL DISC FAN RESIN DISC

# **CONCRETE POLISHING TOOLS**

BLUE WINGS METAL DISC 80Φ HAWK-EYE HYBRID RESIN DISC 80Φ CLOVER WHITE RESIN DISC 80Φ CLOVER GREEN RESIN DISC 80Φ TETRAGON RESIN DISC 4", 5", 6" CONCRETE POLISHING PAD



# RESTORATION POLISHING DISC

- · Repolishing pads in 3.5" and 4" are great for maintance polishing of Granite, Marble and Terrazzo.
- · Designed for floor restoration, specially constructed in two parts that are grit, impregnated resin parts and hard base parts.




# 3.5" RE POLISHING DISC

for Granite, Marble, Terrazzo

Part No	DESCRIPTION	VELCRO COLOR
DRRWG90N50	3.5" Repolishing Disc	Fluorescent
DRRWG90N100	3.5" Repolishing Disc	Red
DRRWG90N200	3.5" Repolishing Disc	Yellow
DRRWG90N400	3.5" Repolishing Disc	Sky Blue
DRRWG90N800	3.5" Repolishing Disc	Green
DRRWG90N1500	3.5" Repolishing Disc	Orange
DRRWG90N3000	3.5" Repolishing Disc	Pink
DRWG90NDF	3.5" Repolishing Disc	Gray

# Great performance!

Available	3.5"	
Thickness	4.0mm	
Max RPM	1,000	
Max Pressure	5 bar	





FAN METAL DISC for Granite, Marble, Terrazzo DRY WET



Part No	DESCRIPTION	REMARK
DFMWGSRT1	Fan Metal Disc	Metal
DFMWGSRT2	Fan Metal Disc	Metal

Width * Length	40 * 80mm	
Max RPM	1,000	
Max Pressure	5 bar	



# FAN RESIN DISC for Granite, Marble, Terrazzo

WET

Part No	DESCRIPTION	VELCRO COLOR
DFRWGSR50	Fan Resin Polishing Disc	Fluorescent
DFRWGSR100	Fan Resin Polishing Disc	Red
DFRWGSR200	Fan Resin Polishing Disc	Yellow
DFRWGSR400	Fan Resin Polishing Disc	Sky Blue
DFRWGSR800	Fan Resin Polishing Disc	Green
DFRWGSR1500	Fan Resin Polishing Disc	Orange
DFRWGSR3000	Fan Resin Polishing Disc	Pink
DFRWGSRDF	Fan Resin Polishing Disc	Gray

Width * Length	40 * 80mm	
Available	Velcro & Shank Backed	
Max RPM	1,000	
Max Pressure	5 bar	

# **CONCRETE POLISHING DISC**

- · Kest concrete metal disc displays a high performance for concrete grinding.
- · Kest's independent production for soft and hard concrete.
- · Can use in wet & dry conditions depending on the strength of concrete and working environment .



BLUE	WINGS	METAL	DISC for Concrete
------	-------	-------	-------------------

BLOE WING	DRY	
Part No	DESCRIPTION	REMARK
DMACBWT1	Blue Wings Metal Disc	Metal
DMACBWT2	Blue Wings Metal Disc	Metal
Width * Length	40 * 80mm	
Max RPM	1,000	

# HAWK-EYE HYBRID RESIN DISC


· This is New Hybrid System.

**Max Pressure** 

· The aggresiveness of our Hawk-Eye Hybrid is excellent for removal Concrete. DRY WET

Part No	DESCRIPTION	REMARK
DHRACHET30	80mm Hawk-Eye Hybrid Disc	Hybrid
DHRACHET50	80mm Hawk-Eye Hybrid Disc	Hybrid
DHRACHET100	80mm Hawk-Eye Hybrid Disc	Hybrid
DHRACHET200	80mm Hawk-Eye Hybrid Disc	Hybrid

Available	80mm	
Thickness	10.0mm	
Max RPM	1,000	
Max Pressure	5 bar	



· Can use in wet & dry conditions depending on the strength of concrete and working environment.

# **CLOVER WHITE DISC** for Concrete

Part No	DESCRIPTION	VELCRO COLOR	
DRRWC80CV50	80mm Concrete Polishing Disc	Fluorescent	
DRRWC80CV100	80mm Concrete Polishing Disc	Red	
DRRWC80CV200	80mm Concrete Polishing Disc	Yellow	
DRRWC80CV400	80mm Concrete Polishing Disc	Sky Blue	
DRRWC80CV800	80mm Concrete Polishing Disc	Green	
DRRWC80CV1500	80mm Concrete Polishing Disc	Orange	
DRRWC80CV3000	80mm Concrete Polishing Disc	Pink	

80mm
10.0mm
1,000
5 bar



# **CLOVER GREEN DISC** for Concrete

Part No DESCRIPTION	
80mm Concrete Polishing Disc	Fluorescent
80mm Concrete Polishing Disc	Red
80mm Concrete Polishing Disc	Yellow
80mm Concrete Polishing Disc	Sky Blue
80mm Concrete Polishing Disc	Green
80mm Concrete Polishing Disc	Orange
80mm Concrete Polishing Disc	Pink
	80mm Concrete Polishing Disc 80mm Concrete Polishing Disc

Available	80mm	
Thickness	10.0mm	
Max RPM	1,000	
Max Pressure	5 bar	











# **TETRAGON POLISHING DISC** for Concrete

Part No	DESCRIPTION	VELCRO COLOR
DRRWC80P50	80mm Concrete Polishing Disc	Fluorescent
DRRWC80P100	80mm Concrete Polishing Disc	Red
DRRWC80P200	80mm Concrete Polishing Disc	Yellow
DRRWC80P400	80mm Concrete Polishing Disc	Sky Blue
DRRWC80P800	80mm Concrete Polishing Disc	Green
DRRWC80P1500	80mm Concrete Polishing Disc	Orange
DRRWC80P3000	80mm Concrete Polishing Disc	Pink
Available	80mm	
Thickness	10.0mm	
Max RPM	1,000	
Max Pressure	5 bar	



# **CONCRETE POLISHING PAD** for Concrete

Part No	DESCRIPTION	VELCRO COLOR		
DRRWC4C50	5" Concrete Polishing Pad	Fluorescent		
DRRWC4C100	5" Concrete Polishing Pad	Red		
DRRWC4C200	5" Concrete Polishing Pad	Yellow		
DRRWC4C400	5" Concrete Polishing Pad	Sky Blue		
DRRWC4C800	5" Concrete Polishing Pad	Green		
DRRWC4C1500	5" Concrete Polishing Pad	Orange		
DRRWC4C3000	5" Concrete Polishing Pad	Pink		
Available	4", 5", 6"			
Thickness	4.0mm			
Max RPM	5,000			
Max Pressure	2 bar			



# 04. SINK TOOLS

# KITCHENTOP POLISHING DISC

SUPER-JOA ANGLER SUPER-JOA RESIN DISC

### CONVEX POLISHING DISC

EP CONVEX POLISHING DISC CONVEX RESIN POLISHING DISC

### TURBO RESIN POLISHING DISC

3.5" TURBO RESIN DISC

# MINI DRUM POLISHING DISC

MINI DRUM METAL & ELECTRONIC PLATE MINI DRUM HONEY-COMB MINI DRUM HONEY-COMB ES MINI DRUM HONEY-COMB COPPER

# **BELT POLISHING TOOLS**

ZEROTOLERANCE
BELT DRUM RESIN
ELASTIC BAND BELT
REVEMA BELT DRUM
OSCILATING HEAD DRUM

# FLEXIBLE BELT STRIP


HONEY-COMB BELT STRIP FLORAL FLEXIBLE SHEET

### HAND PAD

FLORAL HAND PAD COPPER HAND PAD EP DOT HAND PAD

### **GROOVER**

HORN RESIN CONE & CYLINDER BALL BIT METAL & RESIN



# KITCHEN TOP POLISHING DISC

- · It is very necessary tools for grinding of Kitchen Top.
- · Available for grinding with various shapes of 60°, 45°, 90°.
- · This is for NC and CNC Machines with magnetic or snail lock backer system.



**SUPER-JOA ANGLER** 

for Granite, Marble, Engineered Stone

WET

Part No	DE	MENSIC	N	GRIT	REMARK
	Α	W	T	GRII	REWARK
MSJWG90	90°	Ф110	30	50	Bottom
MSJWG60	60°	Ф113	30	100	Bottom
MSJWG45	45°	Ф124	30	200	Bottom

This is for drainboard, kitchen & counter top High performance & Saving time EP Angler is available

Available	90°, 60°, 45°	
Max RPM	1,000	



# SUPER-JOA RESIN DISC

for Granite, Marble, Engineered Stone

WET

Part No	DEMENSION		IENSION G		REMARK
	Α	W	T	Ghii	NEWANK
JSRWG90CM50				50	
JSRWG90CM100				100	
JSRWG90CM200	0	90° Φ110 60° Φ113 45° Φ124		200	
JSRWG90CM400			00	400	Snail
JSRWG90CM800			30	800	Mgnetic
JSRWG90CM1500	45			1500	
JSRWG90CM3000				3000	
JSRWG90CMDF				Buff	-

Available	90°, 60°, 45°	
Max RPM	1.000	



# KITCHENTOP POLISHING DISC

· Convex pads are great for polishing inside corners, concave edges, bowl and ogee edges on the counter-top.

# **EP CONVEX POLISHING DISC**

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	VELCRO COLOR
MCEWA3C50	4" EP Convex Polishing Pad	Fluorescent
MCEWA3C100	4" EP Convex Polishing Pad	Red
MCEWA3C200	4" EP Convex Polishing Pad	Yellow
Available	3", 4"	
Max RPM	5,000	



# CONVEX POLISHING PAD

for Granite, Marble, Engineered Stone

ľ	V	V	E	I

Part No	DESCRIPTION	VELCRO COLOR
CRWG3C50	4" Convex Polishing Pad	Fluorscent
CRWG3C100	4" Convex Polishing Pad	Red
CRWG3C200	4" Convex Polishing Pad	Yellow
CRWG3C400	4" Convex Polishing Pad	Sky Blue
CRWG3C800	4" Convex Polishing Pad	Green
CRWG3C1500	4" Convex Polishing Pad	Orange
CRWG3C3000	4" Convex Polishing Pad	Pink
CRWG3CDF	4" Convex Polishing Pad	Gray
Available	3", 4"	
Max RPM	5,000	





# TURBO RESIN POLISHING DISC

- · Designed for great polishing result on flat surfaces, tight corners of stones.
- · Can be used on margins, straight edges removing scratches on polished surfaces.

# 3.5" TURBO RESIN DISC

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	VELCRO COLOR
DTRWG90T50	3.5" Turbo Resin Disc	Fluorscent
DTRWG90T100	3.5" Turbo Resin Disc	Red
DTRWG90T200	3.5" Turbo Resin Disc	Yellow
DTRWG90T400	3.5" Turbo Resin Disc	Sky Blue
DTRWG90T800	3.5" Turbo Resin Disc	Green
DTRWG90T1500	3.5" Turbo Resin Disc	Orange
DTRWG90T3000	3.5" Turbo Resin Disc	Pink
DTRWG90TDF	3.5" Turbo Resin Disc	Gray

# Removing scratches fast!

Available	3.5"	
Thickness	4.0mm	
Max RPM	5.000	



# 5 100.

# **♦ MINI DRUM POLISHING TOOLS**

- $\cdot$  Designed for the inside areas of bowl, radial poloishing machine, sink machines and hand machines.
- · It has a rubber interlayer for good polishing performance.



# MINI DRUM METAL

for Granite, Marble, Engineered Stone

				•
•	w	_	т	

Part No	DESCRIPTION	REMARK
MBDMWA20T1	Ф38 Mini Drum Metal	Coarse
MBDMWA20T2	Ф38 Mini Drum Metal	Medium
Available	Ф20, Ф25, Ф38	
Max RPM	5,000	

# MINI DRUM ELECTRONIC PLATE

Part No	DESCRIPTION	REMARK
MBDEWA20T1	Φ20 Mini Drum EP	Coarse
MBDEWA20T2	Φ20 Mini Drum EP	Medium
Available	Ф20, Ф25, Ф38	
Max RPM	5,000	

# MINI DRUM HONEY-COMB ES

for Engineered Stone

 -

Part No	DESCRIPTION	SHANK COLOR
BDRWE25H50	Φ25 Mini Drum Resin ES	Fluorscent
BDRWE25H100	Φ25 Mini Drum Resin ES	Red
BDRWE25H200	Φ25 Mini Drum Resin ES	Yellow
BDRWE25H400	Φ25 Mini Drum Resin ES	Sky Blue
BDRWE25H800	Φ25 Mini Drum Resin ES	Green
BDRWE25H1500	Φ25 Mini Drum Resin ES	Orange
BDRWE25H3000	Φ25 Mini Drum Resin ES	Pink
BDRWE25HDF	Φ25 Mini Drum Resin ES	Gray
Available	Ф20, Ф25, Ф38	
Max RPM	5,000	





# MINI DRUM HONEY-COMB

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	SHANK COLOR
BDRWG38H50	Φ38 Mini Drum Resin Disc	Fluorscent
BDRWG38H100	Ф38 Mini Drum Resin Disc	Red
BDRWG38H200	Ф38 Mini Drum Resin Disc	Yellow
BDRWG38H400	Ф38 Mini Drum Resin Disc	Sky Blue
BDRWG38H800	Ф38 Mini Drum Resin Disc	Green
BDRWG38H1500	Ф38 Mini Drum Resin Disc	Orange
BDRWG38H3000	Ф38 Mini Drum Resin Disc	Pink
BDRWG38HDF	Ф38 Mini Drum Resin Disc	Gray
Available	Ф20, Ф25, Ф38	
Max RPM	5,000	

# MINI DRUM HONEY-COMB COPPER

for Engineered Stone



Part No	DESCRIPTION	SHANK COLOR
BDXWA20H50	Ф20 Mini Drum Copper	Fluorscent
BDXWA20H100	Φ20 Mini Drum Copper	Red
BDXWA20H200	Ф20 Mini Drum Copper	Yellow
Available	Ф20, Ф25, Ф38	
Max RPM	5,000	



# **♦** BELT POLISHING TOOLS

- · Designed for the great polishing on straight edge ,tight coners by sink machines and arm machines.
- · Elastic band is consisted of belt,rubber expander and Al attachment.



# ZEROTOLERANCE

for Granite, Marble, Engineered Stone

PART NO	DEMENSION			GRIT	REMARK
	Н	W	T	GRII	NEIVIANI
MGWA70T1	40 7 E		Coarse	Open	
MGWA70T2	- 40 7 	5	Medium	Close	
Available	Ф25	, Ф50,	Ф75, Ф	100	
Max RPM	5,00	0			
Available infield I	Resin				



# **BELT DRUM RESIN** for Granite

WET

Part No	DESCRIPTION	DIAMETER
BDRWG50H50	Belt Drum Resin	Ф50
BDRWG50H100	Belt Drum Resin	Φ50
BDRWG50H200	Belt Drum Resin	Ф50
BDRWG50H400	Belt Drum Resin	Ф50
BDRWG50H800	Belt Drum Resin	Ф50
BDRWG50H1500	Belt Drum Resin	Φ50
BDRWG50H3000	Belt Drum Resin	Ф50
BDRWG50HDF	Belt Drum Resin	Ф50





# **ELASTIC BAND BELT**

for Granite.Marble,Engineered Stone



Part No	DESCRIPTION	DIAMETER
CRWG3C50	ELASTIC BAND RESIN	Φ75
CRWG3C100	ELASTIC BAND RESIN	Φ75
CRWG3C200	ELASTIC BAND RESIN	Φ75
CRWG3C400	ELASTIC BAND RESIN	Ф75
CRWG3C800	ELASTIC BAND RESIN	Φ75
CRWG3C1500	ELASTIC BAND RESIN	Φ75
CRWG3C3000	ELASTIC BAND RESIN	Φ75
CRWG3CDF	ELASTIC BAND RESIN	Ф75



5,000

for Granite, Marble, Engineered Stone

Max RPM



Part No	DESCRIPTION	DIAMETER
BEXWA75H50	Elastic Band Copper	Φ75
BEXWA75H100	Elastic Band Copper	Φ75
BEXWA75H200	Elastic Band Copper	Φ75
BEXWA75H400	Elastic Band Copper	Φ75
Available	Ф75	
Max RPM	5,000	





# **REVEMA BELT DRUM** for Granite

	200	-	-	_
_	w	v	•	7
	v	w	-	ш
		_	-	u

Part No	DESCRIPTION	DIAMETER
BRRWG75H50	Revema Belt Drum	Ф75
BRRWG75H100	Revema Belt Drum	Ф75
BRRWG75H200	Revema Belt Drum	Φ75
BRRWG75H400	Revema Belt Drum	Φ75
BRRWG75H800	Revema Belt Drum	Φ75
BRRWG75H1500	Revema Belt Drum	Ф75
BRRWG75H3000	Revema Belt Drum	Φ75
BRRWG75HDF	Revema Belt Drum	Ф75
Available	Φ75	
Max RPM	5,000	

- Oscillating belt system is designed to prevent Orange Skin (waved surface) occurred often to the general belt polishing process.
- · Designed for quick change system.

OSCILATING HEA

# **OSCILATING HEAD DRUM** for Granite



Part No	DESCRIPTION	DIAMETER
BORWG75H50	Oscilating Head Drum	Ф75
BORWG75H100	Oscilating Head Drum	Φ75
BORWG75H200	Oscilating Head Drum	Φ75
BORWG75H400	Oscilating Head Drum	Ф75
BORWG75H800	Oscilating Head Drum	Φ75
BORWG75H1500	Oscilating Head Drum	Ф75
BORWG75H3000	Oscilating Head Drum	Φ75
BORWG75HDF	Oscilating Head Drum	Φ75

Available	Φ75	
Max RPM	5,000	





- · These belt strips with special cloth based are high flexibilty.
- $\cdot$  Floral Sheets are able to make any shape and smooth ,complicated areas of profile.


# **HONEY-COMB BELT STRIP** for Granite

VVE	W	M	Е	т
	w	w	С	ш

Part No	DESCRIPTION	PRODUCT COLOR
BSRWGSHA50	Honey-comb Belt Strip-A	Black
BSRWGSHA100	Honey-comb Belt Strip-A	Black
BSRWGSHA200	Honey-comb Belt Strip-A	Black
BSRWGSHA400	Honey-comb Belt Strip-A	Dark Brown
BSRWGSHA800	Honey-comb Belt Strip-A	Green
BSRWGSHA1500	Honey-comb Belt Strip-A	Green
BSRWGSHA3000	Honey-comb Belt Strip-A	Green
BSRWGSHADF	Honey-comb Belt Strip-A	Black

# Excellent performance & high flexibility

127		
Available size	A: 40/200	
(mm)	B: 50/300 (Small Honey-comb)	
	C: 240/250	



HONEY-COMB BELT STRIP

# FLORAL FLEXIBLE SHEET

for Marble, Engineered stone

Part No	DESCRIPTION	SHEET COLOR
BSQWGSCA800	Floral Flexible Sheet-A	Yellow
BSQWGSCA1500	Floral Flexible Sheet-A	Orange
BSQWGSCA3000	Floral Flexible Sheet-A	Pink
BSQWGSCA6500	Floral Flexible Sheet-A	Yellow

# The most flexible sheet Can apply to many different shape tools easily

Available size	A: 130/180	
(mm)	B: 200/300	
	C: 200/400	



# **HAND PAD**

- · Designed for horning and polishing on the edge and inside of corner by hand.
- · Copper hand pad has long lasting and high performance.



# FLORAL HAND PAD

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	SPONGE COLOR
HPQWGF50	Floral Hand Pad	Black
HPQWGF100	Floral Hand Pad	Red
HPQWGF200	Floral Hand Pad	Yellow
HPQWGF400	Floral Hand Pad	Sky Blue
HPQWGF800	Floral Hand Pad	Green
HPQWGF1500	Floral Hand Pad	Orange
HPQWGF3000	Floral Hand Pad	Pink
HPQWGFshiner	Floral Hand Pad	Gray
Size(mm)	54 * 88	




# **COPPER HAND PAD**

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	SPONGE COLOR
HPXWGH30	Copper Hand Pad	Pink
HPXWGH50	Copper Hand Pad	Black
HPXWGH100	Copper Hand Pad	Red
HPXWGH200	Copper Hand Pad	Yellow
Size(mm)	54 * 88	



· Smooth grinding and fast polishing!

# DOT-ELECTRONIC PLATE HAND PAD

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	SPONGE COLOR
HPEWGH60	Dot EP Hand Pad	Green
HPEWGH100	Dot EP Hand Pad	Black
HPEWGH200	Dot EP Hand Pad	Red
Size(mm)	50.* 100	
Available	up to Grit 3000	



- · These polishing tools are ideal to polish horn for complicated shapes and any type hole.
- · White resin bond system provides excellent polishing of granite, marble, engineered stone.
- · Ball resin tools are designed for forming and polishing grooves on drainboard and kitchen top.

# HORN RESIN CONE & CYLINDER

20D \*40L

Cylinder

for Granite, Marble, Engineered Stone



Part No	DESCRIPTION	REMARK	
GHRWGC50	Horn Resin-Cone		
GHRWGC100	Horn Resin-Cone	_	
GHRWGC200	Horn Resin-Cone		
GHRWGC400	Horn Resin-Cone	- 23D1* - 11D2*	
GHRWGC800	Horn Resin-Cone	40L	
GHRWGC1500	Horn Resin-Cone	- 40L	
GHRWGC3000	Horn Resin-Cone	===	
GHRWGCDF	Horn Resin-Cone		
Available	Cone & Cylinder Type		








d Stone	WET
---------	-----

Part No	Outer	Grit	Remark
MBBWGA12D	12	Coarse	
MBBWGA15D	15	Medium	1/2"Gas
MBBWGA20D	20	Fine	





NEI
-----







# 05. SLAB POLISHING TOOLS

# RESIN POLISHING DISC

8" TURBO RESIN HYBRID 3-STEP 8" TURBO RESIN ES 3-STEP 10" TURBO RESIN HYBRID 3-STEP 10" TURBO RESIN ES 3-STEP 8" RESIN POLISHING DISC 10" RESIN POLISHING DISC

# **BUFF POLISHING DISC**

6", 8", 10" BUFF POLISHING DISC 4" WOOL BUFF POLISHING DISC 8", 10" WOOL BUFF POLISHING DISC

# SYNTHETIC METAL POLISHING DISC

6", 8", 10", 12" RESIN INFILLED METAL POLISHING DISC

# FRANKFURT RESIN POLISHING DISC

FRANKFURT RESIN DISC



# **RESIN POLISHING DISC**

- $\cdot$  These polishing tools are designed to polish on the surfaces of stones.
- · 3-step system has high concentration of diamond and high performance by radial arm machines.



# 8" TURBO RESIN HYBRID 3-Step

for Granite, Marble, Engineered stone

	W	-	т.
v	м	-	
		_	

Part No	DESCRIPTION	VELCRO COLOR
DPRHG08TWH1	8" Turbo Resin Hybrid 3-Step	Red
DPRHG08TWH2	8" Turbo Resin Hybrid 3-Step	Yellow
DPRHG08TWH3	8" Turbo Resin Hybrid 3-Step	Green

# Available for all kinds of stones with only one!

Available	3-step & 7-Step	
	8" Velcro & Screw Shank Backed	
Max RPM	1,000	
Max Pressure	2 bar	
Thickness	7.0mm	



for Engineered Stone



Part No	DESCRIPTION	VELCRO COLOR
DPRWE08TE1	8" Turbo Resin ES 3-Step	Red
DPRWE08TE2	8" Turbo Resin ES 3-Step	Yellow
DPRWE08TE3	8" Turbo Resin ES 3-Step	Green

# For the artificial stones in 3-step

Available	3-step & 7-Step
	8" Velcro & Screw Shank Backed
Max RPM	1,000
Max Pressure	2 bar
Thickness	7.0mm



for Granite , Marble, Engineered stone



Part No	DESCRIPTION	VELCRO COLOR
DPRHG10TWH1	10" Turbo Resin Hybrid 3-Step	Red
DPRHG10TWH2	10" Turbo Resin Hybrid 3-Step	Yellow
DPRHG10TWH3	10" Turbo Resin Hybrid 3-Step	Green

# Available for all kinds of stones with only one!

Available	10" Velcro & Screw Shank Backed	
Max RPM	1,000	- 15
Max Pressure	5 bar	7
Thickness	4.0mm	1
Thickness	4.0mm	



for Engineered Stone



Part No	DESCRIPTION	VELCRO COLOR
DPRWE10TE1	10" Turbo Resin ES 3-Step	Red
DPRWE10TE2	10" Turbo Resin ES 3-Step	Yellow
DPRWE10TE3	10" Turbo Resin ES 3-Step	Green
Available	10" Velcro & Screw Shank B	acked
Max RPM	1,000	
Max Pressure	2 bar	
	4.0mm	









# **♦ BUFF POLISHING DISC**

# 8" RESIN POLISHING DISC for Granite

Part No	DESCRIPTION	VELCRO COLOR
DPRWG8R50	8" Resin Polishing Disc	Fluorscent
DPRWG8R100	8" Resin Polishing Disc	Red
DPRWG8R200	8" Resin Polishing Disc	Yellow
DPRWG8R400	8" Resin Polishing Disc	Sky Blue
DPRWG8R800	8" Resin Polishing Disc	Green
DPRWG8R1500	8" Resin Polishing Disc	Orange
DPRWG8R3000	8" Resin Polishing Disc	Pink
DPRWG8RDF	8" Resin Polishing Disc	Gray

Available	6", 8", 10", 12" Velcro & Shank Backed
Max RPM	1,000
Max Pressure	2 bar
Thickness	10.0mm

# 10" RESIN POLISHING DISCWHITE

# 10" RESIN POLISHING DISC WHITE

for Engineered Stone & Marble

				4		
а	Ŧ	П	И	-	1	1

Part No	DESCRIPTION	VELCRO COLOR
DPRWE10R50	10" Resin Polishing Disc	Fluorscent
DPRWE10R100	10" Resin Polishing Disc	Red
DPRWG10R200	10" Resin Polishing Disc	Yellow
DPRWE10R400	10" Resin Polishing Disc	Sky Blue
DPRWE10R800	10" Resin Polishing Disc	Green
DPRWE10R1500	10" Resin Polishing Disc	Orange
DPRWE10R3000	10" Resin Polishing Disc	Pink
DPRWE10RDW	10" Resin Polishing Disc	Gray

Available	6", 8", 10", 12" Velcro & Shank Backed	
Max RPM	1,000	
Max Pressure	2 bar	
Thickness	10.0mm	

# 10" BUFF POLISHING DISC for Granite



Part No	DESCRIPTION	PRODUCT COLOR
DPFWG10B	10" Buff Polishing Disc	Black
DPFWG10G	10" Buff Polishing Disc	Gray
DPFWG10W	10* Buff Polishing Disc	White
Available	6", 8", 10", 12" Velcro & Sh	ank Backed
Max RPM	1,000	
Max Pressure	2 bar	
Thickness	10.0mm	



# 4" WOOL BUFF DISC for Marble

WET

Part No	DESCRIPTION	REMARK
DPFWM4BS	4" Wool Buff Disc	Shank
DPFWM4BV	4" Wool Buff Disc	Velcro
Available	4" Velcro & Shank Backed	
Max RPM	5,000	



# 8" WOOL BUFF DISC for Marble

WET

Part No	DESCRIPTION	REMARK		
DPFWM8BV	8" Wool Buff Disc	Velcro		
Available	8", 10" Velcro Backed			
Max RPM	1,000			
Max Pressure	2 bar			





# **SYNTHETIC METAL POLISHING DISC**



### 10" RESIN INFILLED METAL DISC

for Granite, Marble, Engineered Stone

ĸ	۳	v	=	-	
	W	и	=	н	

Part No	DESCRIPTION	VELCRO COLOR
DPSWG10T50	10" Resin infilled Metal Disc	Fluorscent
DPSWG10T100	10" Resin Infilled Metal Disc	Red
DPSWG10T200	10" Resin Infilled Metal Disc	Yellow
DPSWG10T400	10" Resin Infilled Metal Disc	Sky Blue

Available	6", 8", 10", 12" Velcro & Shank Backed
Max RPM	1,000
Max Pressure	2 bar
Thickness	10.0mm

# FRANKFURT RESIN POLISHING DISC



# FRANKFURT RESIN DISC

for Granite, Marble, Engineered Stone

Part No	DESCRIPTION	REMARK
DFFRWGS50	Frankfurt Resin Disc	
DFFRWGS100	Frankfurt Resin Disc	
DFFRWGS200	Frankfurt Resin Disc	-
DFFRWGS400	Frankfurt Resin Disc	- CL I
DFFRWGS800	Frankfurt Resin Disc	Shank
DFFRWGS1500	Frankfurt Resin Disc	
DFFRWGS3000	Frankfurt Resin Disc	-
DFFRWGSDF	Frankfurt Resin Disc	

Available	White Resin	
Max RPM	1,000	
Max Pressure	5 bar	

# 06. CUTTING TOOLS

### ROAD/FLOOR SAW BLADE

AIDA-PRCA FOR CONCRETE & ASPHALT

### HAND-HELD SAW BLADE

AIDA-PRB FOR BRICKS & REINFORCED CONCRETE

### SILENT SAW BLADE FOR GRANITE

AIDA-PRG FOR GRANITE & ENGINEERED STONE

### SILENT SAW BLADE FOR MARBLE

AIDA-PRM FOR MARBLE

### SAW BLADE FOR ANGLE GRINDER

AIDA-PRA FOR MARBLE & GRANITE & CONCRETE & BRICKS

### **TUCK POINT**

TUCK POINT FOR GRANITE & MARBLE & ENGINEERED STONE

### **ELECTRONIC PLATE BLADE**


EP CONCAVE BLADE FOR MARBLE EPVANITY BLADE FOR MARBLE

### FINGER BIT

HIGH SPEED FINGER BIT STANDARD FINGER BIT EP FINGER BIT VACUME BRAZING FINGER BIT

### **EASY BIT**

EASY BIT FOR CNC





# **\***

# **ROAD/FLOOR SAW BLADE**

- · A cutting tool designed for maintenance works or crack prevention works on asphalt and concrete,
- · This saw provides extremely clean and fast cutting on very aggressive surface and has long life as well.



DIAMETER	LENGTH	THICKNESS	HEIGHT	SEGMENTTYPE
12" (300)				
14" (350)				
16" (400)	- 40	3.2~3.8	10/10	Single Turbo
18" (450)	- 40		10/12	
20" (500)	=0			
24" (600)	7	4.5		Normal



# HAND-HELD SAW BLADE

- · A cutting tool designed for maintenance works, demolishing retaining wall or cutting high strength tile.
- · Hand-held saw has great strong point of extremly fast & gentle cutting performance on Reinforced Concrete and it is ideal for use on bricks and Reinforced Concrete.





# SILENT SAW BLADE FOR GRANITE

- · This saw offers a superior cutting performance on granite and engineered stone, including the hardest granites.
- The Single Turbo segment, which has combined configuration of normal segment and turbo segment, provides a fast and exceptionally clean cut and guarantee long life span.

DIAMETER	LENGTH	THICKNESS	HEIGHT	SEGMENTTYPE
12" (300)				
14" (350)				
16" (400)	40	3.2~3.8	40	Single Turbo
18" (450)				
20" (500)				
24" (600)	40	4.5	20	Normal
Extra Cutting	Holes Availab	ble		
Silent Shank A	Vailable			





# SILENT SAW BLADE FOR MARBLE

- · This saw gives a brilliant cutting performance and chip-free cutting on marble and other softer stones.
- The Single Turbo segment, which has combined configuration of normal segment and turbo segment, provides a fast and exceptionally clean cut and guarantee long life span.

# AIDA-PRM for Marble

DIAMETER	LENGTH	THICKNESS	HEIGHT	SEGMENTTYPE
7" (175)	22/20	24.22	10	Tirelan
9" (230)	32/38	2.4~3.2	10	Turbo
12" (300)				
14" (350)				
16" (400)	40	3.2 ~4.8	20	Single Turo
18" (450)				
20" (500)	-			

Extra Cutting Holes Available Silent Shank Available



# **♦ SAW BLADE FOR ANGLE GRINDER**

· A cutting tool designed for especially delicate works on stones, concretes, blocks and bricks.



L	VID	Δ.	PP	Δ	for N	/arble	Granite	Concrete,	Block	Brick
•	111			_	101 17	idibio,	Giailito,	COILCIGIO,	DIOCK,	DILON

ı	F	FT

	18		07	
DIAMETER	LENGTH	THICKNESS	HEIGHT	SEGMENTTYPE
5" (125)				
6" (150)	32/38	2.3 ~2.8	10	Turbo
7" (175)				
9" (225)	00	00400	10 / 10	Tala
10" (250)	38	2.8/3.2	10 / 12	Turbo
Extra Cutting F	Holes Availab	le		
Silent Shank A	vailable			

· Tuck Point designed for very efficient removal of mortar jointed bricks.



# TUCK POINT for Granite, Marble, Engineered Stone

12.0
VVI- I I

Part No		DEME	NSION		SLOT	REMARK
	OUTER	L	Т	W	SLUI	REWIARK
MTPWG3	3"	25	4.8	8	6	Stone
MTPWG4	4"	32	4.8	8	9	Stone
MTPWC4	4"	32	4.8	8	9	Stone
MTPWC5	5"	32	4.8	8	10	Concrete
MTPWC6	6"	32	4.8	8	12	Concrete
MTPWC7	7'	32	4.8	8	14	Concrete

Available	5", 6"	
RPM	8 000~10 000	

# **ELECTRONIC PLATE BLADE**

- · EP Concaved and Vanity Blade are designed for fast cutting and high performance on the Marble.
- · Eelctroplated Blade with side protection segments combine for fast and smooth cutting.

# **EP CONCAVED BLADE** for Marble



Part No		REMARK		
	OUTER	INNER	Н	NEIVIANN
MEBWM5C	5"	20		Side Protetion
MEBWM6C	6"	20		Side Protetion
Available	5", 6"			
RPM	8,000	~10,000		



# EDVANITY DI ADE for Marblo



Part No	D	DEMENSION			
	OUTER	INNER	Н	REMARK	
MEBWMF5	5"	20		Side Protetion	
MEBWMF6	6"	20		Side Protetion	
Available	5", 6 <b>"</b>				
RPM	8,000	~10,000			



# **FINGER BIT**

- · Fast cutting abilities in softness.
- · Low prices and best quality.
- · Various options with High speed and Standard speed for all kinds of stones like Granite, Marble and Engineered stone.



# HIGH SPEED FINGER BIT for Granite, Marble, Engineered Stone

WET

Part No	DEMENSION			SGMENT	REMARK		
	L	Н	Т	SCIVIEIVI	NEIVIANI		
MFBWGHS20	40, 50	5	6	4	1/2" Gas		
MFBWGHS23	40, 50	5	6	5	1/2" Gas		
For making hole							
Feeding Speed	14~20 inch	14~20 inch per minute					
Max RPM	5,500						



# STANDARD FINGER BIT for Granite, Marble

WET

Doub No.	DI	EMENSIO	N	SGMENT	REMARK
Part No	L	Н	T	SGIVIEIVI	
MFBWGHS20	40, 50	5	6	5	1/2"Gas
MFBWGHS23	40, 50	5	6	5	Bottem
MFBWGHS25	40.50	5	6	5	

Designed for solving tough surfaces in fast time in the method of turbo rim segment arrangement.

Feeding Speed	14~20 inch per minute	
RPM	4,500~5,000	





Part No		DEMENSION		REMARK			
	H	W	T	REWARK			
MFBWGHS20	40, 50	5	6	1/2" Gas			
Feeding Speed	14~20 inch p	er minute					
RPM	5,000~6,000	5,000~6,000					



# **VA-BRAZING FINGER BIT**

for Marble, Engineered Stone

WET

Part No		REMARK		
	Н	W	T	REWARK
MFBWGHS20	40, 50	5	6	1/2" Gas
Feeding Speed	14~20 inch p	er minute		
RPM	5,000~6,000	6		



# **EASY BIT**

- · These tools are designed to cut the sink hole by CNC machine.
- $\cdot$  Kest Easy Bit provides excellent cutting speed and long lifetime.

# **EASY BIT FOR CNC**

for Granite, Marble, Engineered Stone

	-	200	
	"	•	
w			

Part No	D	<b>EMENSION</b>	Time	REMARK		
	OUTER	INNER	Н	Туре	REWARK	
MEBWGS20	Ф20	Ф14	20	Standard	M10	
MEBWGT20	Ф20	Ф14	20	Turbo	M12	
MEBWGC20	Ф20	Ф14	20	Castle	M14	
Milling Depth	4~5mm/pass					
RPM	6,000~10,000					



# 07. GRINDING & DRILLING TOOLS\*\*

# **GRINDING TOOLS**

MILLING WHEEL RESI CUP WHEEL GRAPHITER WHEEL

# DRILLINGTOOLS

NON CORE DRILL
TURBO DRY CORE DRIL
THIN CORE DRILL

# **GRINDING TOOLS**

- · Milling Wheel is designed for working process in calibrating drainboard job.
- · It provides fast working and long lifetimes.



# MILLING WHEEL for Granite, Marble, Engineered Stone

Part No	DEMENSION				SEGMENT	DEMADIA
	OUTER	Н	W	Т	SEGIVIEIVI	REWARK
MMWWG90	Φ90	30	8	8	20	
MMWWG120	Ф120	30	8	8	26	

# Fast working time!

Available	90, 120mm	
Max RPM	4,000	

- · Resin infilled cup wheel is designed for smooth grinding.
- · No chipping and fast grinding.

- · Graphiter is designed for C-Frame and Automatic Inline machines.
- $\cdot$  It provides super performance and long lasting.

**GRAPHITER** for Granite, Marble, Engineered Stone

_	

Part No	DEMENSION			GRIT	REMARK	
	OUTER	L	W	T	Ghii	REWARK
MGTWG4P1	4"			0	P1	20020
MGTWG4P2	4"			8	P2	– snail
Available	4"					
RPM	1,200					




# **DRILLINGTOOLS**

· Non Core Drill is designed for small diameter sink hole process.

# NON CORE DRILL for Granite, Marble, Concrete

9	DRY	WE

Part No	DEMENSION				SHANK-L	DEMARK
	OUTER	L	W	T	SHAINK-L	NEIVIANN
MCWWA4S	6mm					M14
MCWWA5S	8mm	30	10	8	50	5/8"~11"
MCWWA7S	10mm		10004.51		7000-40X	1/2"Gas
RPM	2,000~1	0,000				









- $\cdot$  Turbo Dry Core Drill is designed for high performance hole processing.
- · The optimized bond provides very fast cutting and chip-free cutting in hole processing .



# **TURBO DRY CORE DRILL**

for Granite, Marble, Engineered Stone

DRY	WET	

DRY WET

_	100
	VV

Part No OUTER		DEME	NSION	SHANK-L	REMARK		
	OUTER	L	W	Т	SHAINK-L	REWIARK	
MCDDG1	1"	15				12/12/4/10	
MCDDG2	1-1/4"		15	75	0.0	F0	M14
MCDDG3	1-3/8"			7.5	3.2	50mm	5/8"~11" 1/2"Gas
MCDDG4	2'				1/2 Gas		

### High performance hole processing!

Available	up to outer 4"	
RPM	2,000~10,000	
Side Protection	en .	

· Thin Core Drill is designed for fast and clean drilling with thin wall segment style.



# THIN CORE DRILL

for Granite, Marble, Engineered Stone

Part No		REMARK			
	OUTER	L	T	W	REWARK
MCDTG1	1"				2.200
MCDTG2	1-1/4"		10	0	M14
MCDTG3	1-3/8"		10	Z	5/8"~11" 1/2"Gas
MCDTG4	2"				1/2 003

2 200 10 000
2.000~10.000



# 08. ACCESSORIES

# **FLXIBLE BACKER PAD**

FLEXIBLE JUMBO FLEXIBLE-AL DU-FLEXIBLE

# **RIGID BACKER PAD**

RIGID BAKE RIGIDTURBO RIGID PLASTIC

### **SNAIL HOLDER**

4" WHITE SNAIL WITH SPONGE 4" YELLOW SNAIL 5", 6" WHITE SNAIL FOR INLINE MACHINE

### SNAIL LOCKER

5", 6" ALUMINIUM SNAIL LOCKER

# ADAPTOR

MAGNETIC ADAPTOR OSCILATING HEAD MINI DRUM ADAPTOR BALL BIT ADAPTOR EASY BIT ADAPTOR



# ❖ FLEXIBLE BACKER PAD



# **FLEXIBLE JUMBO**

Part No		Outer	Remark	
YHF3.5S	HF3.5S 3		M14	5/8"~11"
Available	3.5"			



# FLEXIBLE-AL

Part No	Outer	Remark
YHF2S	2"	
YHF3S	3"	M14
YHF4S	4"	5/8"~11"
YHF5S	5"	
Available 2"	, 3", 4 <b>'</b> , 5 <b>'</b>	



# **DU-FLEXIBLE**

Part No	Outer	Remark
YHF4D	4"	M14, 5/8"~11'



# **RIGID BAKE**

Part No	Outer	Remark
YHR2H	2"	M10
YHR3H	3"	M14
YHR4H	4"	M16
YHR5H	5"	5/8"~11'
Available 2	", 3", 4", 5"	







Part No		Outer	Remark
YHR3.5H		3.5"	M14, 5/8"~11
Available	3.5"		



# **RIGID PLASTIC-BLUE**

Part No	Outer	Remark
YHRP3H	3"	
YHRP4H	4"	— M14 — 5/8"∼11'
YHRP5H	5"	— 5/6 ~ IT

# ♦ SNAIL HOLDER





# 4" WHITE SNAIL with Sponge

Part No		Outer	Sponge
YHS4PWS		4"	10mm
Available	4"		

# 4" YELLOW SNAIL

Part No		Outer	Remark
YHS4PY		4"	with Velcro
Available	4*		
Thickness	10mm		



# WHITE SNAIL for Inline Machine

Part No		Outer	Remark
YHR5PW		5"	
YHR6PW		6'	with Velcro
Available	5". 6"		



# **ALUMINUM SNAIL LOCKER**

Part No	Outer	Remark
YLS4L	4"	M10, M14
YLS5L	5"	M18, 5/8"~11'

Available 4", 5"



# ♦ ADAPTOR





Part No	Outer	Remark
YAMHM	4"	M14 , 5/8"~11" 1/2"Gas



# **OSCILATING HEAD**

Part No	Outer	Remark	
YAOCM	58Φ * 60L	M14, 5/8"~11"	









# MINIDRUM ADAPTOR

Part No	Outer	Remark
YAMD15M	Ф15	M14
YAMD20M	Ф20	5/8 <b>"</b> ~11"
YAMD38M	Ф38	1/2"Gas

**Available** Φ15, Φ20, Φ38





# **BALL BIT ADAPTOR**

Part No	Outer	Remark
YABBM	M10	M14, 5/8"~11" 1/2"Gas

# **EASY BIT ADAPTOR**

Part No	Outer	Remark
YAOCM	58 *60L	M14, 5/8"~11"

# 09. EXHIBITHION

# VERONA FAIR

Italy in 2017 Italy in 2013 Italy in 2012 Italy in 2011

# **NURNBERG FAIR**

Germany in 2013

# STONEXPO

Las Vegas in 2011



# ♦ VERONA FAIR

